

Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

AUG - 6 2008

AOTI, Ltd. % Mr. Robbie Walsh Quality Assurance & Regulatory Affairs Qualtech House Parkmore Business Park West Galway, Ireland

Re: K080966

Trade/Device Name: Hyper-Box Topical Wound Oxygen System

Regulation Number: 21 CFR 878.5650

Regulation Name: Topical oxygen chamber for extremeties

Regulatory Class: III Product Code: KPJ Dated: June 30, 2008 Received: July 3, 2008

Dear Mr. Walsh:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the <u>Federal Register</u>.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set

Page 2 - Mr. Robbie Walsh

forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Center for Devices and Radiological Health's (CDRH's) Office of Compliance at (240) 276-0115. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding postmarket surveillance, please contact CDRH's Office of Surveillance and Biometric's (OSB's) Division of Postmarket Surveillance at (240) 276-3474. For questions regarding the reporting of device adverse events (Medical Device Reporting (MDR)), please contact the Division of Surveillance Systems at (240) 276-3464. You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (240) 276-3150 or at its Internet address http://www.fda.gov/cdrh/industry/support/index.html.

Sincerely yours,

Mark N. Melkerson

Mark M Milkerson

Director

Division of General, Restorative and Neurological Devices Office of Device Evaluation

Center for Devices and

Radiological Health

Enclosure

Indications for Use

510(k) Number:

Device Name:

Hyper-Box Topical Wound Oxygen System

Indications for Use:

The AOTI Hyper-Box Topical Wound Oxygen System is intended to be used for the treatment of open acute or chronic wounds, such as;

- skin ulcerations due to diabetes, venous stasis, post surgical infections and gangrenous lesions
- o decubitus ulcers
- o amputations/infected stumps
- o skin grafts
- o burns
- o frostbite

Prescription Use __X___

AND/OR

Over-The-Counter-Use

(Part 21 CFR 801 Subpart D)

(21 CFR 807 Subpart C)

PLEASE DO NOT WRITE BELOW THIS LINE – CONTINUE ON ANOTHER PAGE IF NEEDED

Concurrence of CDRH, Office of Device Evaluation (ODE)

(Division Sign-Off)

Division of General, Restorative,

and Neurological Devices

510(k) Number_

Page 1 of 1